



D-Line®

Trade

Innovative Cable Management

INCLUDING RACEWAYS FOR LOW-VOLTAGE CABLES



'When time, safety & appearance matter'



D-Line USA, Inc is a Louisville based company with a global reputation for innovative cable management solutions.

Across the world our patented ranges are used every day to route surface mounted cables, 'when time, safety and appearance matter'. Core offers include designer raceways for low-voltage cables, innovative fasteners, and floor cable protectors.

Being 'quick-to-install & look great!' D-Line pvc raceways provide an attractive alternative to traditional pvc raceways which often look unfashionable in modern decor. D-Line's combination of speed, safety and style is ideal for low-voltage telecom and data cabling, audio visual projects, and security alarm installs.

Also in our range is innovative steel cable fasteners. All have installer-friendly designs, for easy fixing of cables direct-to-surface.

D-Line's selection of Floor Cable Protectors are available in 6' or 30' lengths. They uncoil to lay flat, and are supplied with push-in pull-out connectors that can join to additional lengths... giving peace-of-mind by covering any length of cable! Rigid versions are available also.

Products are made in USA and UK, and manufactured to exacting standards. This brochure highlights popular offers that we hope meet with your approval.

D-Line will be delighted to be of service, and promise our best always.

D-Line Trade Team



Stocks on hand & ready to ship



Designer shapes and colors

Subtle appearance with no sharp edges; to blend with decor
Alternative cable capacities satisfy popular demands
Color options to provide a striking feature!
Available as ½-round (width x height) 0.63" x 0.31",
0.78" x 0.39", 1.18" x 0.59", & 2" x 1"... ¼-round 0.87" x 0.87"
Also rectangular 0.4" x 0.31" 2 piece design



Film covered, PVC lengths

Keeps lengths pristine before installation
PVC lengths, UV stabilized
Strong, but easy to cut



Self-adhesive

Simply peel & stick
Can be drilled & screw-fixed also



Patented single-piece design

For quick & easy handling
Tensioned hinge lid retains cables during installation
Hinge is not overly stiff or slack; can be opened/closed
countless times - easy to later add or remove cables
Lids will never peel or detach - maintenance friendly



Accessories

Snap-on design with rear grip tabs clip-over lengths
to hold corner bend & tee accessories securely
Smooth-fit connectors & end caps



Easy-clean profile


No flat dust-ledges
Only one groove,
for infection control
Easily wipes clean



Paintable

Can blend with any decor



CLIP-OVER BENDS & TEES



CONNECTORS & END CAPS



Raceway Overview, for low voltage cables



Rectangular Raceway 0.4" x 0.31"



D-Line 0.4" x 0.31" is an ultra-slim profile for the smallest of cables, & suitable for tight spaces.

Ideal for alarm cables, bellwire, telephone & speaker cables.

- Rectangular profile, 0.4" x 0.31" (WxH)
- Clip-on lid
- Corners can be mitre-cut
- Self-adhesive
- Paintable

Partcode	Color	Length	Width	Height
R6FT108WSA	White	6'	0.4"	0.31"



Micro Raceway 0.63" x 0.31"



To hide speaker cable, bell wires, telephone and alarm cable, Micro Raceway offers a discreet solution.

Available in white, almond or black and with a range of smooth-fit accessories; that give a smooth flush appearance.

- Micro ½ round profile, only 0.63" x 0.31" (WxH)
- Patented hinge & click-lock lid
- Smooth-fit accessories available for perfect finish
- Self-adhesive, or can be drilled & screw-fixed

Full range of accessories available



Partcode	Color	Length	Width	Height
US/D21608W	White	6.56'	0.63"	0.31"
US/D21608M	Almond	6.56'	0.63"	0.31"
US/D21608B	Black	6.56'	0.63"	0.31"

Partcode	Color	Accessory Type	Application	For Use With
US/FB1608W-5PK	White	Flat Bend	Change direction by 90° on flat surfaces.	0.63x0.31"
US/EB1608W-5PK	White	External Bend	Join lengths around 90° outside corners.	0.63x0.31"
US/IB1608W-5PK	White	Internal Bend	Join lengths around 90° inside corners.	0.63x0.31"
US/ET1608W-5PK	White	Equal Tee	Use to join 3 lengths of same profile.	0.63x0.31"
US/CP1608W-5PK	White	Connector	Join 2 lengths of same profile on flat surface.	0.63x0.31"
US/EC1608W-5PK	White	End Cap	Neatly finish open ends.	0.63x0.31"
US/FB1608M-5PK	Almond	Flat Bend	Change direction by 90° on flat surfaces.	0.63x0.31"
US/EB1608M-5PK	Almond	External Bend	Join lengths around 90° outside corners.	0.63x0.31"
US/IB1608M-5PK	Almond	Internal Bend	Join lengths around 90° inside corners.	0.63x0.31"
US/ET1608M-5PK	Almond	Equal Tee	Use to join 3 lengths of same profile.	0.63x0.31"
US/CP1608M-5PK	Almond	Connector	Join 2 lengths of same profile on flat surface.	0.63x0.31"
US/EC1608M-5PK	Almond	End Cap	Neatly finish open ends.	0.63x0.31"
US/FB1608B-5PK	Black	Flat Bend	Change direction by 90° on flat surfaces.	0.63x0.31"
US/EB1608B-5PK	Black	External Bend	Join lengths around 90° outside corners.	0.63x0.31"
US/IB1608B-5PK	Black	Internal Bend	Join lengths around 90° inside corners.	0.63x0.31"
US/ET1608B-5PK	Black	Equal Tee	Use to join 3 lengths of same profile.	0.63x0.31"
US/CP1608B-5PK	Black	Connector	Join 2 lengths of same profile on flat surface.	0.63x0.31"
US/EC1608B-5PK	Black	End Cap	Neatly finish open ends.	0.63x0.31"

Micro+ Raceway 0.78" x 0.39"



D-Line 0.78" x 0.39" Micro+ profile gives a neat solution for telecom cables, while offering internal capacity that can be useful around corners.

Clip-over bends and tees are available to provide a perfect finish, while being quick & easy to install!

Ideal for flexible cables (up to 0.31" outer diameter), also fibre-optic, satellite/aerial, and broadband cable installations.

- Discreet and stylish appearance; only 0.78" x 0.39" (WxH)
- Patented hinge & click-lock lid
- Accessories available for perfect finish. Snap on bends & tees
- Self-adhesive, or can be drilled & screw-fixed


Full range of accessories available



Partcode	Color	Length	Width	Height
US/D22010W	White	6.56'	0.78"	0.39"
US/D22010M	Almond	6.56'	0.78"	0.39"
US/D22010B	Black	6.56'	0.78"	0.39"

Partcode	Color	Accessory Type	Application	For Use With
US/FLFB2010W-5PK	White	Flat Bend	Change direction by 90° on flat surfaces.	0.78x0.39"
US/FLEB2010W-5PK	White	External Bend	Join lengths around 90° outside corners.	0.78x0.39"
US/FLIB2010W-5PK	White	Internal Bend	Join lengths around 90° inside corners.	0.78x0.39"
US/FLET2010W-5PK	White	Equal Tee	Use to join 3 lengths of same profile.	0.78x0.39"
US/CP2010W-5PK	White	Connector	Join 2 lengths of same profile on flat surface.	0.78x0.39"
US/EC2010W-5PK	White	End Cap	Neatly finish open ends.	0.78x0.39"
US/FLFB2010M-5PK	Almond	Flat Bend	Change direction by 90° on flat surfaces.	0.78x0.39"
US/FLEB2010M-5PK	Almond	External Bend	Join lengths around 90° outside corners.	0.78x0.39"
US/FLIB2010M-5PK	Almond	Internal Bend	Join lengths around 90° inside corners.	0.78x0.39"
US/FLET2010M-5PK	Almond	Equal Tee	Use to join 3 lengths of same profile.	0.78x0.39"
US/CP2010M-5PK	Almond	Connector	Join 2 lengths of same profile on flat surface.	0.78x0.39"
US/EC2010M-5PK	Almond	End Cap	Neatly finish open ends.	0.78x0.39"
US/FLFB2010B-5PK	Black	Flat Bend	Change direction by 90° on flat surfaces.	0.78x0.39"
US/FLEB2010B-5PK	Black	External Bend	Join lengths around 90° outside corners.	0.78x0.39"
US/FLIB2010B-5PK	Black	Internal Bend	Join lengths around 90° inside corners.	0.78x0.39"
US/FLET2010B-5PK	Black	Equal Tee	Use to join 3 lengths of same profile.	0.78x0.39"
US/CP2010B-5PK	Black	Connector	Join 2 lengths of same profile on flat surface.	0.78x0.39"
US/EC2010B-5PK	Black	End Cap	Neatly finish open ends.	0.78x0.39"

Mini Raceway 1.18" x 0.59"




D-Line 1.18" x 0.59" Mini Raceway offers a subtle appearance that makes surface cable installations look attractive!

The ½ round shape can blend to resemble the natural top-section of baseboards, while offering a modern solution for vertical cable drops and runs across ceilings.

Available white, almond or black, D-Line raceways can blend with surrounds.

- Unique stylish 'D-Line' appearance
- Patented hinge & click-lock lid
- Accessories available for perfect finish. Snap on bends & tees
- Self-adhesive, or can be drilled & screw-fixed




Full range of accessories available



Partcode	Color	Length	Width	Height
US/D23015W	White	6.56'	1.18"	0.59"
US/D23015M	Almond	6.56'	1.18"	0.59"
US/D23015B	Black	6.56'	1.18"	0.59"

Partcode	Color	Accessory Type	Application	For Use With
US/FLFB3015W-2PK	White	Flat Bend	Change direction by 90° on flat surfaces.	1.18x0.59"
US/FLEB3015W-2PK	White	External Bend	Join lengths around 90° outside corners.	1.18x0.59"
US/FLIB3015W-2PK	White	Internal Bend	Join lengths around 90° inside corners.	1.18x0.59"
US/FLET3015W-2PK	White	Equal Tee	Use to join 3 lengths of same profile.	1.18x0.59"
US/FLDB3015W-2PK	White	Door Top Bend	Change direction by 90° around frame tops.	1.18x0.59"
US/CP3015W-5PK	White	Connector	Join 2 lengths of same profile on flat surface.	1.18x0.59"
US/EC3015W-5PK	White	End Cap	Neatly finish open ends.	1.18x0.59"
US/FLFB3015M-2PK	Almond	Flat Bend	Change direction by 90° on flat surfaces.	1.18x0.59"
US/FLEB3015M-2PK	Almond	External Bend	Join lengths around 90° outside corners.	1.18x0.59"
US/FLIB3015M-2PK	Almond	Internal Bend	Join lengths around 90° inside corners.	1.18x0.59"
US/FLET3015M-2PK	Almond	Equal Tee	Use to join 3 lengths of same profile.	1.18x0.59"
US/FLDB3015M-2PK	Almond	Door Top Bend	Change direction by 90° around frame tops.	1.18x0.59"
US/CP3015M-5PK	Almond	Connector	Join 2 lengths of same profile on flat surface.	1.18x0.59"
US/EC3015M-5PK	Almond	End Cap	Neatly finish open ends.	1.18x0.59"
US/FLFB3015B-2PK	Black	Flat Bend	Change direction by 90° on flat surfaces.	1.18x0.59"
US/FLEB3015B-2PK	Black	External Bend	Join lengths around 90° outside corners.	1.18x0.59"
US/FLIB3015B-2PK	Black	Internal Bend	Join lengths around 90° inside corners.	1.18x0.59"
US/FLET3015B-2PK	Black	Equal Tee	Use to join 3 lengths of same profile.	1.18x0.59"
US/FLDB3015B-2PK	Black	Door Top Bend	Change direction by 90° around frame tops.	1.18x0.59"
US/CP3015B-5PK	Black	Connector	Join 2 lengths of same profile on flat surface.	1.18x0.59"
US/EC3015B-5PK	Black	End Cap	Neatly finish open ends.	1.18x0.59"

Maxi Raceway 2" x 1"



D-Line 2" x 1" Maxi is a versatile Raceway, providing capacity for several cables.

The size, capacity, and white or black options makes this profile a market-leading solution that is ideal for many AV and datacoms projects.

- Unique stylish 'D-Line' appearance
- Patented hinge & click-lock lid
- Accessories available for perfect finish. Snap on bends & tees
- Self-adhesive, or can be drilled & screw-fixed (as recommended for best practice)
- Saves channeling walls




Full range of accessories available



Partcode	Color	Length	Width	Height
US/5FT5025W	White	5'	2"	1"
US/5FT5025M	Almond	5'	2"	1"
US/5FT5025B	Black	5'	2"	1"

Partcode	Color	Accessory Type	Application	For Use With
US/FLFB5025W	White	Flat Bend	Change direction by 90° on flat surfaces.	2x1"
US/FLEB5025W	White	External Bend	Join lengths around 90° outside corners.	2x1"
US/FLIB5025W	White	Internal Bend	Join lengths around 90° inside corners.	2x1"
US/FLET5025W	White	Equal Tee	Use to join 3 lengths of same profile	2x1"
US/CP5025W	White	Connector	Join 2 lengths of same profile on flat surface.	2x1"
US/EC5025W	White	End Cap	Neatly finish open ends.	2x1"
US/FLFB5025M	Almond	Flat Bend	Change direction by 90° on flat surfaces.	2x1"
US/FLEB5025M	Almond	External Bend	Join lengths around 90° outside corners.	2x1"
US/FLIB5025M	Almond	Internal Bend	Join lengths around 90° inside corners.	2x1"
US/FLET5025M	Almond	Equal Tee	Use to join 3 lengths of same profile	2x1"
US/CP5025M	Almond	Connector	Join 2 lengths of same profile on flat surface.	2x1"
US/EC5025M	Almond	End Cap	Neatly finish open ends.	2x1"
US/FLFB5025B	Black	Flat Bend	Change direction by 90° on flat surfaces.	2x1"
US/FLEB5025B	Black	External Bend	Join lengths around 90° outside corners.	2x1"
US/FLIB5025B	Black	Internal Bend	Join lengths around 90° inside corners.	2x1"
US/FLET5025B	Black	Equal Tee	Use to join 3 lengths of same profile	2x1"
US/CP5025B	Black	Connector	Join 2 lengths of same profile on flat surface.	2x1"
US/EC5025B	Black	End Cap	Neatly finish open ends.	2x1"

TV Raceway 2.36" x 0.59"




To contain cables from wall mount TV's, this patent pending Cable Cover has one-piece design with a hidden hinge and click-lock feature in design with a seamless front.


Self-adhesive backing for simple peel & stick installation, with stylish low-profile shape that blends with decor.

- Capacity for several TV cables
- Smooth and seamless front
- Easy to add or remove cables
- Hinged lid opens to 60° when TV raceway is fixed to wall
- Stylish low-profile design
- Peel & stick (or can be screw-fixed)

Partcode	Color	Length	Width	Height
US/1D6015W	White	39"	2.36"	0.59"
US/1D6015M	Almond	39"	2.36"	0.59"
US/1D6015B	Black	39"	2.36"	0.59"



¼ Round Raceway 0.87" x 0.87"



Floor edging that hides cables!




Wood-effect can be varnished to match darker floors

Quarter round 0.87" x 0.87" profile covers expansion gaps between floors and baseboards, while providing an easy-to-use cable raceway around floor perimeters, or worktops.

The 0.87" x 0.87" (W x H) dimensions scale well to blend with popular baseboards, while providing capacity for cable bending radii around corners.

- Unique stylish 'D-Line' appearance
- Patented hinge & click-lock lid
- Accessories available for perfect finish
- A smart alternative to traditional floor trims


Full range of accessories available




Partcode	Color	Length	Width	Height
US/D222QSW	White	6.56'	0.87"	0.87"
US/D222QSP	Wood Effect	6.56"	0.87"	0.87"

Partcode	Color	Accessory Type	Application	For Use With
US/FLIB22QSW-5PK	White	Internal Bend	Join lengths around 90° inside corners.	0.87x0.87"
US/FLEB22QSW-5PK	White	External Bend	Join lengths around 90° outside corners.	0.87x0.87"
US/FLC022QSW-5PK	White	Cable Inlet /Outlet	Use to provide cable entry/exit point between 2 lengths.	0.87x0.87"
US/CP22QSW-5PK	White	Connector	Join 2 lengths of same profile on flat surface.	0.87x0.87"
US/EC22QSW-4PK	White	4x End Caps	Neatly finish open ends (2x left, 2x right).	0.87x0.87"
US/FLIB22QSP-5PK	Wood Effect	Internal Bend	Join lengths around 90° inside corners.	0.87x0.87"
US/FLEB22QSP-5PK	Wood Effect	External Bend	Join lengths around 90° outside corners.	0.87x0.87"
US/FLC022QSP-5PK	Wood Effect	Cable Inlet /Outlet	Use to provide cable entry/exit point between 2 lengths.	0.87x0.87"
US/CP22QSP-5PK	Wood Effect	Connector	Join 2 lengths of same profile on flat surface.	0.87x0.87"
US/EC22QSP-4PK	Wood Effect	4x End Caps	Neatly finish open ends (2x left, 2x right).	0.87x0.87"

Floor Cable Protectors




- Protect cables & address trip hazards
- Uncoils to lay flat
- Ribbed non-slip base, pre-split rear for ease of use
- Flexible PVC - Neat tapered design
- Linkable to cover any length of cable! Lengths supplied with 2 push in, pull out connector pins



As pic - black option available (no stripe)



30' option



6' option

Partcode	Color	Length	Cord Cavity
US/FC68B	Black	6'	0.56" (W) x 0.35" (H)
US/FC83B	Black	6'	1.18" (W) x 0.39" (H)
US/FC83H	Black with Yellow Hazard Stripe	6'	1.18" (W) x 0.39" (H)
US/FC68B/9M	Black	30'	0.56" (W) x 0.35" (H)
US/FC83B/9M	Black	30'	1.18" (W) x 0.39" (H)
US/FC83H/9M	Black with Yellow Hazard Stripe	30'	1.18" (W) x 0.39" (H)

Floor Cable Covers



- Ideal for areas with light foot traffic
- Address a common cause of trips, tugs and falls
- Can protect up to 2x 0.31" diameter cables
- Ribbed non-slip base, pre-split rear for ease of use
- Flexible PVC - Supplied coiled in bag; simply uncoil to lay flat

Partcode	Color	Length	Cord Cavity
US/CC-1	Black	6'	0.63" (W) x 0.31" (H)
US/CC-2	Brown	6'	0.63" (W) x 0.31" (H)
US/CC-3	Beige	6'	0.63" (W) x 0.31" (H)
US/CC-4	Gray	6'	0.63" (W) x 0.31" (H)
US/CC-6	Yellow	6'	0.63" (W) x 0.31" (H)
US/CC-1/9M	Black	30'	0.63" (W) x 0.31" (H)
US/CC-2/9M	Brown	30'	0.63" (W) x 0.31" (H)
US/CC-3/9M	Beige	30'	0.63" (W) x 0.31" (H)
US/CC-4/9M	Gray	30'	0.63" (W) x 0.31" (H)


Cable Organizer Boxes



- Contribute to a positive Health & Safety culture in offices
- Tidy, route & sort unsightly cable clutter
- Make surfaces easier to clean
- Make power strips less accessible
- Prevent feet snagging cables under desks - save entanglements and costly disconnections
- Produced using electrically-safe ABS material

Partcode	Color	Length	Width	Height	For use with
US/COBSMLW	White	12.75"	5"	4.5"	Power Strips up to 11" Length
US/COBSMLB	Black	12.75"	5"	4.5"	Power Strips up to 11" Length
US/COBLGEW	White	16.5"	6.5"	5.25"	Power Strips up to 13.4" Length
US/COBLGEB	Black	16.5"	6.5"	5.25"	Power Strips up to 13.4" Length

Power strips not included



Outdoor Cable Box



- Easy to use, looks great!
- IP54 weather-resistant
- 10x cable entry & exit points
- Can be wall-mounted
- Click-lock lid

Partcode	Color	Length	Width	Height	For use with
US/OCM001	Black	11.4"	4.9"	4.33"	Power Strips up to 10.63" Length
US/OCM002	Green	11.4"	4.9"	4.33"	Power Strips up to 10.63" Length

Cable Organizer Tray





- Keep floors free of power strips & cables
- Ideal for home and commercial offices, & gaming set-ups.
- Easy assembly... self-adhesive, or screw-fix, Includes tape & screws
- Attach tray slots to bracket hooks
- Robust steel construction

Partcode	Color	Length	Width	Height
17197	Black	15.75"	4.13"	5.91"
17203	Gray	15.75"	4.13"	5.91"

Cable Zipper




- Ideal to conceal & protect longer runs of cables
- Quick and easy to use - scissor cut to length; insert cables in zip tool; put zip tool in to length; pull zip tool along length
- Flexible design and good resistance to oils/lubricants, acids & alkalis - suitable for use around plant and machinery too
- Zip tool included in pack
- Operating temperature -22°F to +185°F




Partcode	Color	Length	Diameter
US/CZ252.5B	Black	8.2'	1"
US/CZ252.5W	White	8.2'	1"

Split Cable Tube





- Tidy & protect several cables
- Ideal to contain cables dropping behind TVs and desks
- Pre-split - fits around existing cables
- Flexible & easiest to add or remove cables
- No application tool needed
- Supplied 3'7" lengths





Partcode	Color	Length	External Diameter	Internal Diameter
US/CTT1.1B	Black	43"	1.26"	1.02"
US/CTT1.1/25B	Black	43"	0.98"	0.77"
US/CTT1.1W	White	43"	1.26"	1.02"

Cable Spiral Wrap




- Versatile, easy to exit cables at any point along length
- Ideal for shorter runs of cable
- 0.06" gauge LDPE material protects cable insulation
- Expands around bundles of cables up to 1.57" diameter
- Good resistance to oils/lubricants, acids & alkalis
- Easy to cut to required length, then wrap by hand




Partcode	Color	Length	Diameter
US/CTW2.5W	White	8.2'	0.39" - 1.5"
US/CTW2.5B	Black	8.2'	0.39" - 1.5"

Direct-to-surface Steel Fixings Adjustable Cable & Conduit Clips



- Wrap & lock
- One fixing only - labor-saving design
- Screw-fixing becomes 'invisible'
- User-friendly, pliable steel
- 'Quick to install, looks great!'



Drill a 3/16" (0.1875") pilot hole



Secure screw-fix,
no wall plug required



Simply wrap around the cable




Secure cable with locking tab



Tight fitment, neat appearance




Tested to survive 2 hours at
1780°F in fire conditions



Partcode	Color	Cable/Pipe Capacity	Pack Quantity
US/SD-CAB10/20	Galvanized	0.39" - 0.59" diameter	20
US/SD-CAB10B/20	Black	0.39" - 0.59" diameter	20
US/SD-CAB16/20	Galvanized	0.63" - 0.83" diameters	20
US/SD-CAB16B/20	Black	0.63" - 0.83" diameters	20
US/SD-CAB16W/20	White	0.63" - 0.83" diameters	20
US/SD-CAB22/20	Galvanized	0.87" - 1.02" diameters	20
US/SD-CAB22B/20	Black	0.87" - 1.02" diameters	20
US/SD-CAB22W/20	White	0.87" - 1.02" diameters	20


Direct-to-surface Steel Fixings Flat Cable ‘Grip Clips’

For 0.34" x 0.18" flat cable (w x h)




0.1" x 0.22" head dia x 1" length

For 0.41" x 0.21" flat cable (w x h)




0.1" x 0.22" head dia x 1" length

For 0.47" x 0.24" flat cable (w x h)



0.1" x 0.22" head dia x 1" length

For 0.54" x 0.27" flat cable (w x h)



0.1" x 0.22" head dia x 1" length

- User-friendly design - keeps finger & thumb away from hammer
- 0.1" nail dia; suitable for harder substrates (will not buckle)
- Raised strip on clip-head prevents cable bruising if mis-hit!



Partcode	Color	Cable Capacity	Pack Quantity
US/SD-TE1.5/100	Galvanized	Holds 1x 0.34" x 0.18" flat cable	100
US/SD-TE2.5/100	Galvanized	Holds 1x 0.41" x 0.21" flat cable	100
US/SD-TE4.0/100	Galvanized	Holds 1x 0.47" x 0.24" flat cable	100
US/SD-TE6.0/100	Galvanized	Holds 1x 0.54" x 0.27" flat cable	100

Direct-to-surface Steel Fixings Stag Clips - Single-Piece Fixings




Single options (Red, Galv, Black)
for 0.24" - 0.31", & 0.31" - 0.39" o/d cables



Twin options (Red, Galv, Black)
for 0.24" - 0.31", & 0.31" - 0.39" o/d cables

Tested to survive 2 hours at
1780°F in fire conditions



- Can be 1st fix rested in pilot hole, before 2nd fix inserting cable(s)
- No screw or wall anchor required, simply push smooth head into pilot hole, 0.22" or 0.24" x 1.18" deep
- Head sections overlap for secure cable fitment. 2x cable versions lock together when overlapped
- Supplied in bags of 50 pcs




Drill pilot hole & select appropriate size of Stag Clip



Rest Stag Clip in the pilot hole ready to accept cable(s)




Insert cable(s) before squeezing the smooth head




Push home to secure the Stag Clip and cable(s)

Partcode	Color	Cable Capacity	Pack Quantity
US/SD-STAG6S/50	Galvanized	1x 0.24" - 0.31" Cable	50
US/SD-STAG6SR/50	Red	1x 0.24" - 0.31" Cable	50
US/SD-STAG6SB/50	Black	1x 0.24" - 0.31" Cable	50
US/SD-STAG8S/50	Galvanized	1x 0.31" - 0.39" Cable	50
US/SD-STAG8SR/50	Red	1x 0.31" - 0.39" Cable	50
US/SD-STAG8SB/50	Black	1x 0.31" - 0.39" Cable	50
US/SD-STAG6T/50	Galvanized	2x 0.24" - 0.31" Cable	50
US/SD-STAG6TR/50	Red	2x 0.24" - 0.31" Cable	50
US/SD-STAG6TB/50	Black	2x 0.24" - 0.31" Cable	50
US/SD-STAG8T/50	Galvanized	2x 0.31" - 0.39" Cable	50
US/SD-STAG8TR/50	Red	2x 0.31" - 0.39" Cable	50
US/SD-STAG8TB/50	Black	2x 0.31" - 0.39" Cable	50

Direct-to-surface Steel Fixings F-Clips - Flat, Flexible, Foldable & Fire-Rated



- Space efficient and pocket friendly
- Uniquely versatile - many possibilities
- Easy folding to required shape, to suit space & cable volume
- 3x fixing holes, 0.22" (5.7mm) diameter
- F-Clip 40 and 50 locking tabs can be return-folded for extra security if preferred
- Slots enable use as a cable tie base



Partcode	Color	Length	Width	Height	Pack Quantity
US/SAFEDFCLIP30/100	Galvanized	2.2"	0.8"	0.31"	100
US/SAFEDFCLIP40/50	Galvanized	4.35"	0.8"	0.8"	50
US/SAFEDFCLIP50/50	Galvanized	6.5"	0.8"	1.38"	50



D-Line (USA) Inc

2671 Technology Drive, Suite 112, Louisville, KY40299

Tel: 1-800-901-4396 **Email:** salesusa@d-line-it.com **Web:** www.d-line.com